Havoline® ProDS Fully Synthetic LE SAE 5W-40



Synthetic Passenger Car Motor Oil

Product description

Havoline® ProDS Fully Synthetic LE is a premium performance, multigrade motor oil formulated from selected synthetic base fluids and matching additive technology for use in passenger car and light truck gasoline and diesel engines under all expected operating conditions.

Customer benefits and product features

Customer benefits

Prolonged engine life

Wide temperature range capability of the synthetic base fluid ensures suitable oil viscosity to help reduce friction at start-up, and to help provide maximum lubricity during high temperature operation. The effective anti-wear additive system helps minimize wear in even the most sophisticated valve train mechanisms, including those with variable valve timing.

Power and performance

Metallic detergent and ashless dispersant additive system help achieve maximum power and performance by providing excellent control of ring belt and piston skirt deposits, even under the most severe operating conditions.

Formulated to help reduce emissions

Formulated with latest generation technology containing reduced levels of metals, phosphorus and sulfur, it helps prolong the life of sensitive catalysts in catalytic converters and reduces the plugging rate of diesel particulate filters.

Low maintenance costs

Excellent thermal stability and oxidation resistance helps protect against in-service oil degradation which contributes to filter blocking and sludge formation in the oil galleries, crankcase and valve train. Low metal, phosphorus and sulfur formulation helps extend emission system durability.

Low oil consumption

Synthetic formulation with the highly shear stable viscosity modifier provides excellent control of oil flow through the ring belt area by maintaining oil viscosity, and reduces oil evaporation at the elevated ring zone temperatures experienced under all expected operating conditions.

Product features

- Havoline® ProDS Fully Synthetic LE is formulated to reduce levels of metals and the elements phosphorus and sulfur to provide excellent durability of modern low emission vehicle technologies. It is optimized to provide complete engine protection plus high performance.
- Havoline® ProDS Fully Synthetic LE is formulated with a unique viscosity modifier which delivers superb piston cleaniness and sludge performance in engines as demonstrated in the latest BMW endurance test

Havoline® ProDS Fully Synthetic LE SAE 5W-40



Synthetic Passenger Car Motor Oil

Applications

- Naturally aspirated and turbocharged gasoline and diesel engines in passenger cars and light trucks
- Low emission passenger car and light duty vehicle engines fitted modern catalytic converter (gasoline) or diesel particulate filter technology
- Four-stroke gasoline engines in portable power equipment where the manufacturer recommends conventional passenger car motor oils.

Not recommended for use in gas-fuelled (CNG or LPG) engines, or in motorcycle engines.

Product approvals, performance and recommendations

Approvals

- API SP (licensed)
- BMW Longlife-04
- MB-Approval 229.51

Meets the requirements of the following performance standards and specifications:

- ACEA C3
- Renault RN 0700/0710

Havoline® ProDS Fully Synthetic LE SAE 5W-40



Synthetic Passenger Car Motor Oil

Typical test data

HAVOLINE® PRODS FULLY SYNTHETIC LE	RESULTS
SAE Grade	5W-40
Product Code	500002
Base No., D2896, mg KOH/g	6.9
Phosphorus, m %	0.08
Sulfated Ash, m %	0.8
Zinc, m %	0.085
Kinematic Viscosity, mm²/s @ 40°C mm²/s @ 100°C	68 13.0
Viscosity Index	197

2308

This bulletin was prepared in good faith from the best information available at the time of issue. While the values and characteristics are considered representative, some variation, not affecting performance, can be expected. It is the responsibility of the user to ensure that the products are used in the applications for which they are intended. Produced by Chevron Global Lubricants: Asia Pacific

ENVIRONMENT, HEALTH and SAFETY. Information is available on this product in the Material Safety Data Sheet (MSDS) and Customer Safety Guide. Customers are encouraged to review this information, follow precautions and comply with laws and regulations concerning product use and disposal. To obtain a MSDS for this product, visit the Product Information Center.

This Product Data Sheet (PDS) was produced for the Asia Pacific region based on the best available information at the time of issue. The specific information included may not directly reflect the market or conditions, and may vary. For the most up-to-date, country-specific information, please contact your local customer service center.

